DURA LASH

Tight Hold, Safe Haul.

+91 90999 99501

info@duraforgeintl.com

www.duraforgeintl.com

A BRAND OF
DURAFORGE INTERNATIONAL
INDIA

DURA LASH

Tight Hold, Safe Haul.

CARGO RATCHET

LASHING

TIGHT HOLD, SAFE HAUL

25 – 75 mm

800 – 10,000 kg

EN 12195-2




WWW.DURAFORGEINTL.COM

ABOUT DURALASH

WHO ARE WE?

DURALASH is the cargo lashing brand of **DURAFORGE INTERNATIONAL**, an Indian exporter of building material and hardware. Our ratchet lashing straps hold loads firmly in place during transport, relocation and storage, reducing movement and preventing damage.

Each strap combines durable high-tenacity polyester webbing with a strong ratchet mechanism, manufactured to the European load restraint standard **EN 12195-2**, a safer, lighter and more dependable choice than chains, cables, jute cords or metal strapping.



OUR MISSION

To supply strong, reliable lashing straps that keep cargo secure on every road, rail and sea journey, with consistent quality in every shipment.

OUR VISION

To become a trusted load restraint brand worldwide, known for strength, safety and value.

WHY DURALASH?

Reusable & lightweight
Far lighter than chains, cables or metal strapping, and used again and again.

Protects goods & people
Soft webbing reduces damage to cargo and the risk of injury to users.

Absorbs shocks
Excellent ability to absorb shocks and vibration in transit.

Abrasion resistant
High-tenacity polyester webbing with high resistance to wear.

Double-locking ratchet
Wide-handle ratchet tightens fast and locks securely.

Your logo on the webbing
Custom lengths, components and logo printing for bulk orders.

Safer than the old ways

Chains & cables	heavy, can damage goods
Metal strapping	heavier, harms finished products
Jute cords	weak, unreliable
DURALASH straps	light, strong, gentle on cargo

TIGHT HOLD, SAFE HAUL.

PRODUCT RANGE

RATCHET LASHING STRAPS

Load restraint straps in five widths, chosen by the weight and securing needs of the cargo.

25	32	35	50	75
mm · 1"	mm	mm	mm · 2"	mm · 3"

Specifications	
Product	Cargo ratchet lashing strap with double J-hooks, and ratchet endless lashing
Webbing	High-tenacity polyester, woven narrow fabric
Colour	Orange
Widths	25 mm (1") · 32 mm · 35 mm · 50 mm (2") · 75 mm (3")
Break force	800 kg to 10,000 kg, depending on width
Ratchet	Plastic-handle ratchet (50 mm) · double-locking wide-handle ratchet
Length	Custom lengths and components to order
Standard	Manufactured to EN 12195-2
Branding	Webbing can be custom printed with your logo

HOW TO USE

1. **Thread**
   Pass the strap through the bottom of the ratchet.
2. **Feed**
   Thread it through the slot in the centre spool and pull it through to remove the slack.
3. **Tension**
   Push down and pull up the handle to work the ratchet until the strap is securely tight.
4. **Lock**
   Close the handle flat to lock. Your load is secured.

BUILT FOR EVERY JOURNEY

- **Road** — Trucks & trailers
- **Rail** — Wagons & flat cars
- **Sea** — Containers & vessels
- **Storage** — Warehouses & moving

Private label
Your brand printed on the webbing, with custom lengths and components for bulk orders.

Mixed shipments
Combine DURALASH with our other DURA brands in one container.

+91 90999 99501
info@duraforgeintl.com
www.duraforgeintl.com

DURA LASH
Tight Hold, Safe Haul.