DURALID

Strong Cover, Safe Streets.

+91 90999 99501

info@duraforgeintl.com

www.duraforgeintl.com

A BRAND OF
DURAFORGE INTERNATIONAL
INDIA

DURALID


Strong Cover, Safe Streets.

FRP MANHOLE COVER

LOAD CAPACITY · 3 TON | 5 TON

- Rust-free FRP
- Zero scrap value

STRONG COVER, SAFE STREETS



WWW.DURAFORGEINTL.COM

ABOUT DURALID

WHO ARE WE?

DURALID is the FRP manhole cover brand of **DURAFORGE INTERNATIONAL**, an Indian exporter of building material and hardware. Our covers are moulded from fibre-reinforced plastic (FRP), giving drainage and inspection chambers a strong, safe and long-lasting top.

Unlike cast iron, FRP never rusts, is far lighter to handle and has no scrap value, so covers stay where they belong. Every DURALID cover is designed for daily use in homes, commercial buildings and coastal areas, in the climate conditions of Africa, the Middle East and South America.

From standard sizes to custom requirements and private labelling, we work closely with importers and distributors to supply covers that perform, shipment after shipment.


DURALID
Strong Cover, Safe Streets.

OUR MISSION

To supply durable, safe and corrosion-free manhole covers that make streets, buildings and drainage systems safer, while giving our partners reliable quality and service.

OUR VISION

To become a trusted name for FRP access covers worldwide, known for strength, consistency and long service life.



STRONG COVER, SAFE STREETS.

BENEFITS

WHY CHOOSE DURALID?

Rust & corrosion free
FRP does not rust or corrode, even in wet, salty and coastal conditions.

Waterproof & weatherproof
Built to handle rain, heat and outdoor exposure year after year.

Theft deterrent
Zero scrap value, so there is no reason to steal it, unlike metal covers.

High strength-to-weight ratio
Carries 3 ton or 5 ton loads while staying light and easy to lift.

Chemical resistant
Handles sewer gases and common chemicals found in drainage systems.

Anti-skid surface
Textured top pattern for safer footing when wet.


Long life, low maintenance
No painting, no rust treatment, no replacement worries.

CHARACTERISTICS

Material	FRP (fibre-reinforced plastic)
Load capacity	3 Ton | 5 Ton
Shapes	Square & rectangular
Sizes	12" × 12" to 30" × 30"
Colours	White, grey, black, chocolate, ivory
Surface	Anti-skid weave pattern

APPLICATIONS

- ✓ Residential buildings & societies
- ✓ Commercial complexes
- ✓ Coastal & humid areas
- ✓ Inspection chambers
- ✓ Sewer & drainage systems
- ✓ Gardens, walkways & compounds



DURALID
Strong Cover, Safe Streets.

PRODUCT RANGE

SIZE CHART


Model	Size	Outer size (mm)	Clear opening (mm)	Approx. weight
DL-1212	12" × 12"	300 × 300	250 × 250	2.8 kg
DL-1515	15" × 15"	380 × 380	300 × 300	4.4 kg
DL-1818	18" × 18"	450 × 450	390 × 390	6.6 kg
DL-1824	18" × 24"	450 × 600	350 × 500	9.5 kg
DL-2121	21" × 21"	530 × 530	450 × 450	9.4 kg
DL-2424	24" × 24"	600 × 600	500 × 500	12.8 kg
DL-2828	28" × 28"	710 × 710	610 × 610	19.5 kg
DL-3030	30" × 30"	750 × 750	675 × 675	22.0 kg

Weight includes cover and frame. Load capacity 3 Ton or 5 Ton as per model ordered.

AVAILABLE COLOURS



White · Grey · Black · Chocolate · Ivory




Top view: anti-skid print


INSTALLATION GUIDE

INSTALL IT RIGHT, IT LASTS FOR YEARS


Handle covers and frames with care to avoid damage to edges and corners.



Correct: fully supported



Wrong: frame not level



Wrong: unsupported frame

1. Make sure the top of the frame is level with the finished road or floor surface.
2. Prepare the concrete bed according to the height of the frame.
3. Let the frame set in concrete for at least 48 hours before use.
4. The frame is not load bearing: support it fully on all sides.

Custom sizes, colours & private labelling available.
info@duraforgeintl.com · +91 90999 99501

DURALID
Strong Cover, Safe Streets.